

ClearOne Aura™

With **Aura**,
Professionals can
now **Re-imagine**
their **Workspaces**
at **Home**



UNITE® 20 Pro Webcam



Pro Webcam with 120° ultra wide-angle field-of-view for use on your PC or laptop display. Delivers full HD 1080p30 video to serve as the foundation of your ultimate personal workspace

Aura Professional Home Office Solution

Dramatically enhances the audio and video experience for any **cloud-based collaboration** application for your **professional home office**

COMPATIBLE WITH




Enhance Your Cloud Collaboration

Highlights

- ✦ Supports up to 1080p@30 Full HD.
- ✦ 100° ultra-wide angle field-of-view.
- ✦ Full-featured USB 2.0 interface, power supply, 2-channel USB video.
- ✦ Super-high SNR with advanced 2D and 3D noise reduction.
- ✦ Easily mounted on PC or laptop display.
- ✦ Use with PC or laptop and web conferencing applications such as ClearOne's COLLABORATE® Space, Microsoft® Teams, Zoom™, WebEx™, Google® Meet™, and others.
- ✦ FREE COLLABORATE® Space lifetime subscription — ClearOne's high quality, award winning cloud-based video collaboration application.
- ✦ Pair the new UNITE® 20 Pro Webcam with a ClearOne CHAT® 50 or CHAT® 150 USB speakerphone for the ultimate personal collaboration workspace for both high-quality video and audio.

Aura Professional Home Office Application

Complete your **UNITE® 20 Pro Webcam** setup by adding other ClearOne Aura products



Specifications

+ AUR-2100-020 UNITE® 20 Pro Webcam

INCLUDES

+ Free COLLABORATE® Space lifetime subscription

VIDEO

- + VIDEO FORMAT: 1080p@30fps/25fps, 720p30/25, 960x540p30/25, 640x360p30/25
- + Sensor: 1/2.7", CMOS, effective pixel: 2.07M
- + Scanning mode: Progressive
- + Lens: focus: f=2.8 mm, FOV: 100°
- + Minimal illumination: 0.05 Lux @ (F1.8, AGC ON)
- + Shutter: 1/30 s – 1/10000 s
- + White balance: auto, indoor, outdoor, One-push, manual
- + Backlight compensation: supported
- + Digital noise reduction: 2D & 3D Digital Noise Reduction
- + Horizontal angle of view: wide angle up to 120°
- + Easy installation: equipped with damped rotary shaft bracket to fit almost any display, easy to install, stable and reliable

AUDIO

+ Built-in microphone array

COMPATIBILITY

- + Operating systems: Windows® 7 (1080p and under only), Windows 8.1, Windows 10 or higher, Linux, MAC OS™ 10.10 or higher, Google™ Chromebook™ Version 29.0.1547.70 or higher
- + 2.4 GHz Intel® Core 2 Duo processor or higher
- + 2 GB RAM or more
- + USB 2.0 port
- + Color system/compression: H.265 / H.264 / MJPEG
- + USB video communication protocol: UVC 1.0 ~ UVC 1.5 (optional)

INPUT/OUTPUT INTERFACE

+ USB Interface: 1xUSB 2.0: Type A

POWER

+ Input voltage: 5 V (USB power supply)

ENVIRONMENTAL

- + Operating temperature: 14° F ~ 104° F (-10° C ~ 40° C)
- + Storage temperature: -40° F ~ 140° F (-40° C ~ 60° C)

MECHANICAL

- + Dimensions (W x D x H): 4.65 x 1.46 x 1.21" (118 x 37.2 x 30.8 mm)
- + Weight: 0.21 lb (0.093 kg) without bracket, 4.41 lb (0.2 kg) with bracket

Sales & Inquiries

Headquarters

5225 Wiley Post Way
Suite 500
Salt Lake City, UT 84116

Headquarters

US: +1.801.975.7200
International: +1.801.975.7200

Aura Sales

US: +1.888.HEY.AURA
International: +1.801.975.7200
aurasales@clearone.com

Aura Tech Support

US: +1.888.HEY.AURA
International: +1.801.975.7200
auratechsupport@clearone.com